

The image features a purple triangular graphic in the top-left corner containing the word "VERITY" in white, uppercase, sans-serif font. The background is a dark grey carpet with a complex geometric pattern of vertical and horizontal lines. In the bottom-left corner, a portion of a white circular table and two white office chairs with silver bases are visible.

VERITY



CONSTRUCTION	LOOP
PILE FIBER COMPOSITION	100% Nylon (Polyamide 6)
YARN TYPE	Cable
DYE METHOD	Solution Dyed
PILE WEIGHT	650g/m2
NUMBER OF TUFTS	189120/m2
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	Stable Shield - 100% Vinyl
OPTIONAL BACKING	Recova-PU Cushion , EcoShield-100% Recycled Vinyl
TILE SIZE	25 cm x 100 cm (9.8 in x 39.2 in)
PILE HEIGHT	3.5 mm
TOTAL HEIGHT	6.0 mm
PILE TREATMENT	INVISTA Anti-Soil Treatment, Anti-Microbial (optional)
RECOMMENDED INSTALLATION	Quarter Turn, Herringbone, Ashlar, Semi Ashlar or Random Plank

SPECIFICATIONS

COLOURLINE



VERITY - 625



VERITY - 626




VERITY - 645



VERITY - 646



VERITY - 647



VERITY - 656



VERITY - 658




VERITY - 666



VERITY - 674



VERITY - 675



VERITY - 676



VERITY - 677



VERITY - 678




VERITY - 679






HOW TO INSTALL


ASHLAR



SEMI ASHLAR




QUARTER TURN



HERRINGBONE



RANDOM





Standard
CARPETS

www.standardcarpets.com