





CHAKRA



|                                 |  |
|---------------------------------|--|
| <b>CONSTRUCTION</b>             | VLOC   |
| <b>PILE FIBER COMPOSITION</b>   | 100% Nylon (Polyamide 6)                               |
| <b>YARN TYPE</b>                | Cable  |
| <b>DYE METHOD</b>               | Solution Dyed  |
| <b>PILE WEIGHT</b>              | 780g/m2  |
| <b>NUMBER OF TUFTS</b>          | 260700/m2  |
| <b>TUFTING GAUGE</b>            | 1/12"  |
| <b>PRIMARY BACKING</b>          | Non-Woven  |
| <b>SECONDARY BACKING</b>        | Stable Shield - 100% Vinyl                             |
| <b>OPTIONAL BACKING</b>         | Recova-PU Cushion , EcoShield-100% Recycled Vinyl      |
| <b>TILE SIZE</b>                | 50 cm x 50 cm  |
| <b>PILE HEIGHT</b>              | 2.5mm - 6.0mm  |
| <b>TOTAL HEIGHT</b>             | 8.00mm   |
| <b>PILE TREATMENT</b>           | INVISTA Anti-Soil Treatment, Anti-Microbial (optional) |
| <b>RECOMMENDED INSTALLATION</b> | Quarter Turn or Brick                                  |

# SPECIFICATIONS

# COLOURLINE




CHAKRA - CC-826



CHAKRA - CC-846




CHAKRA - CC-847




CHAKRA - CC-848




CHAKRA - CC-859



CHAKRA - CC-876



CHAKRA - CC-877



CHAKRA - CC-879



CHAKRA - CC-894



CHAKRA - CC-895



CHAKRA - 826



CHAKRA - 846



CHAKRA - 847




CHAKRA - 848




CHAKRA - 859



CHAKRA - 876



CHAKRA - 877




CHAKRA - 879



CHAKRA - 894




CHAKRA - 895






# HOW TO INSTALL

**QUARTER TURN**



**BRICK**





Standard  
*CARPETS*

[www.standardcarpets.com](http://www.standardcarpets.com)