

COMMON GROUNDS







CONSTRUCTION	LOOP
PILE FIBER COMPOSITION	100% Nylon
YARN TYPE	BCF
DYE METHOD	Solution Dyed
PILE WEIGHT	700g/m2
NUMBER OF TUFTS	222780/m2
TUFTING GAUGE	1/10"
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	Stable Shield - 100% Vinyl
OPTIONAL BACKING	Recova-PU Cushion , EcoShield-100% Recycled Vinyl
TILE SIZE	50 cm x 50 cm (19.6" x 19.6")
PILE HEIGHT	3.0 mm / 5.0 mm
TOTAL HEIGHT	7.0 mm
PILE TREATMENT	INVISTA Anti-Soil Treatment, Anti-Microbial (optional)
RECOMMENDED INSTALLATION	Quarter Turn or Monolithic

SPECIFICATIONS

COLOURLINE




COMMON GROUNDS - 722



COMMON GROUNDS - 726



COMMON GROUNDS - 748




COMMON GROUNDS - 750




COMMON GROUNDS - 752




COMMON GROUNDS - 754




COMMON GROUNDS - 762



COMMON GROUNDS - 772



COMMON GROUNDS - 773




COMMON GROUNDS - 778



COMMON GROUNDS - 790









HOW TO INSTALL

QUARTER TURN



MONOLITHIC





Standard
CARPETS

www.standardcarpets.com