

INTER  
SECTION



<b>CONSTRUCTION</b>	LOOP
<b>PILE FIBER COMPOSITION</b>	100% Nylon (Polyamide 6)
<b>YARN TYPE</b>	BCF
<b>DYE METHOD</b>	Solution Dyed
<b>PILE WEIGHT</b>	520 g/m <sup>2</sup>
<b>NUMBER OF TUFTS</b>	205400/m <sup>2</sup>
<b>TUFTING GAUGE</b>	1/10"
<b>PRIMARY BACKING</b>	Non-Woven
<b>SECONDARY BACKING</b>	StableShield - 100% Vinyl
<b>OPTIONAL BACKING</b>	Recova-PU Cushion , EcoShield-100% Recycled Vinyl
<b>TILE SIZE</b>	50 cm x 50 cm
<b>PILE HEIGHT</b>	2.4 mm / 5.5 mm
<b>TOTAL PILE HEIGHT</b>	6.00 mm
<b>PILE TREATMENT</b>	INVISTA Anti-Soil Treatment
<b>RECOMMENDED INSTALLATION</b>	Quarter Turn

# SPECIFICATIONS

# COLOURLINE



INTERSECTION- 546




INTERSECTION - 547



INTERSECTION- 555




INTERSECTION- 556



INTERSECTION- 573



INTERSECTION - 575




INTERSECTION - 578



# HOW TO INSTALL

## QUARTER TURN





Standard  
*CARPETS*

[www.standardcarpets.com](http://www.standardcarpets.com)