



PREQUEL



<b>CONSTRUCTION</b>	Loop
<b>PILE FIBER COMPOSITION</b>	100% Nylon (Polyamide 6)
<b>YARN TYPE</b>	BCF
<b>DYE METHOD</b>	Solution Dyed
<b>PILE WEIGHT</b>	680g/m <sup>2</sup>
<b>NUMBER OF TUFTS</b>	241740/m <sup>2</sup>
<b>TUFTING GAUGE</b>	1/12"
<b>PRIMARY BACKING</b>	Non-Woven
<b>SECONDARY BACKING</b>	Stable Shield - 100% Vinyl
<b>OPTIONAL BACKING</b>	Recova-PU Cushion , EcoShield-100% Recycled Vinyl
<b>TILE SIZE</b>	50 cm x 50 cm
<b>PILE HEIGHT</b>	3.0mm / 5.0mm
<b>TOTAL HEIGHT</b>	7.5 mm
<b>PILE TREATMENT</b>	INVISTA Anti-Soil Treatment, Anti-Microbial (optional)
<b>RECOMMENDED INSTALLATION</b>	Quarter Turn or Monolithic

# SPECIFICATIONS


# COLOURLINE




PREQUEL - 646



PREQUEL - 658



PREQUEL - 670




PREQUEL - 671




PREQUEL - 672



PREQUEL - 673



PREQUEL - 674



PREQUEL - 675



PREQUEL - 678



PREQUEL - 696




PREQUEL - 697






# HOW TO INSTALL

**QUARTER TURN**



**MONOLITHIC**





Standard  
*CARPETS*

[www.standardcarpets.com](http://www.standardcarpets.com)