



GRAVITY



CONSTRUCTION	LOOP
PILE FIBER COMPOSITION	100% Nylon
YARN TYPE	BCF
DYE METHOD	Solution Dyed
PILE WEIGHT	675 g/m2
NUMBER OF TUFTS	199080/m2
TUFTING GAUGE	1/12"
PRIMARY BACKING	Non-Woven
SECONDARY BACKING	Stable Shield - 100% Vinyl
TILE SIZE	50 cm x 50 cm (19.6" x 19.6") & 50 cm x 100 cm (19.6" x 39.37")
PILE HEIGHT	3.0 mm / 5.0 mm
TOTAL HEIGHT	7.5 mm
PILE TREATMENT	INVISTA Anti-Soil Treatment, Anti-Microbial (optional)
RECOMMENDED INSTALLATION	Quarter Turn or Brick: Tile Brick, Basket, Half Basket, Herringbone: Plank

SPECIFICATIONS

COLOURLINE



GRAVITY - 649



GRAVITY - 654



GRAVITY - 655



GRAVITY - 664



GRAVITY - 677




GRAVITY - 678



GRAVITY - 679



GRAVITY - 698









HOW TO INSTALL

QUARTER TURN



BRICK





Standard
CARPETS

www.standardcarpets.com